

Building Design Suite 2017

Autodesk Building Design Suite Standard 2017

Supported OS	<p>32-Bit OS ¹: Microsoft® Windows® 7 Home Premium ², Professional, Ultimate, Enterprise Microsoft® Windows® 8.1, Pro, Enterprise Microsoft® Windows® 10, Pro, Enterprise, Home, Education</p> <p>64-bit OS: Microsoft Windows 7 Home Premium ², Professional, Ultimate, Enterprise Microsoft Windows 8.1, Pro, Enterprise Microsoft® Windows® 10, Pro, Enterprise</p> <p>¹ Autodesk Showcase® 2017 and Autodesk ReCap™ 2017 are not supported in 32-Bit. ² Autodesk Recap 2017 not supported on Microsoft Windows 7 Home Premium</p>
CPU Type	<p>32-Bit OS: Intel® Pentium® 4 or AMD® Athlon™ Dual Core, 3.0 GHz or Higher with SSE2 technology</p> <p>64-Bit OS: AMD Athlon™ 64 or AMD Opteron™ with SSE2 technology Intel Xeon® or Intel Pentium 4 with Intel EM64T support and SSE2 technology</p>
Memory	<p>Minimum 2 GB RAM (32-Bit OS: 3 GB Recommended; 64-Bit OS: 8 GB Recommended)</p> <p>Exceptions:</p> <p>Autodesk ReCap 2017, Autodesk Showcase 2017 4 GB RAM (8 GB Recommended)</p>
Video	<p>Minimum Windows display adapter capable of 1280x1024 (1600x1050 Recommended) with True Color capabilities</p> <p>Exceptions:</p> <p>3D Modeling in AutoCAD 2017, AutoCAD Architecture 2017, AutoCAD MEP 2017, AutoCAD Raster Design 2017</p>

Autodesk Building Design Suite Standard 2017

	<p>1280 x 1024 True color video display adapter 128 MB or greater, Pixel Shader 3.0 or greater, Direct3D® capable workstation class graphics card. DirectX11 compliant card recommended.</p> <p>Autodesk Showcase® 2017 Certified hardware-accelerated graphics card with a minimum of 512MB graphics memory (1GB recommended) and DirectX® 9 support.</p> <p>Autodesk ReCap 2017 Windows display adapter capable of 1600x1050 with True Color capabilities. OpenGL® 3.3 capable graphics device with 256 MB memory</p>
Hard Disk	15 GB
Pointing Device	Minimum MS-Mouse compliant (Three-button recommended)
Media	Download via internet or installation from USB 2.0 key
Connectivity	Internet connection for license registration, prerequisite component download, Subscription-enabled features, and full user assistance documentation.
Software	Minimum Microsoft Internet Explorer® 9.0 (or later)
Virtualization	Minimum Citrix® XenApp™ 6.5 FP1 Citrix® XenDesktop™ 5.6 Exceptions: Autodesk Showcase 2017, AutoCAD Raster Design 2017, Autodesk ReCap 2017 Not Supported

Autodesk Building Design Suite Premium 2017

Supported OS	<p>64-bit OS: Microsoft Windows 7 SP1 Home Premium ², Professional, Ultimate, Enterprise Microsoft Windows 8/8.1, Pro, Enterprise Microsoft® Windows® 10, Pro, Enterprise</p> <p>² Autodesk Recap 2017, Autodesk 3ds Max 2017 not supported on Microsoft Windows 7 Home Premium</p>
---------------------	--

Autodesk Building Design Suite Premium 2017

CPU Type	<p>64-Bit OS: AMD Athlon™ 64 or AMD Opteron™ with SSE2 technology Intel Xeon® or Intel Pentium 4 with Intel EM64T support and SSE2 technology</p> <p>Exceptions:</p> <p>Autodesk Revit 2017: Single- or Multi-Core Intel® Pentium®, Xeon®, or i-Series processor or AMD® equivalent with SSE2 technology. Autodesk® Revit® 2017 will use multiple cores for many tasks, using up to 16 cores for near-photorealistic rendering operations.</p>
Memory	<p>Minimum 2 GB RAM (32-Bit OS: 3 GB Recommended; 64-Bit OS: 8 GB Recommended)</p> <p>Exceptions:</p> <p>Autodesk ReCap 2017, Autodesk 3ds Max 2017, Autodesk Showcase 2017, Autodesk Revit 2017 4 GB RAM (8 GB Recommended)</p>
Video	<p>Minimum Windows display adapter capable of 1280x1024 (1600x1050 Recommended) with True Color capabilities</p> <p>Exceptions:</p> <p>3D Modeling in AutoCAD 2017, AutoCAD Architecture 2017, AutoCAD MEP 2017, AutoCAD Raster Design 2017 1280 x 1024 True color video display adapter 128 MB or greater, Pixel Shader 3.0 or greater, Direct3D® capable workstation class graphics card. DirectX11 compliant card recommended.</p> <p>Autodesk Showcase® 2017 Certified hardware-accelerated graphics card with a minimum of 512MB graphics memory (1GB recommended) and DirectX® 9 support.</p> <p>Autodesk ReCap 2017 Windows display adapter capable of 1600x1050 with True Color capabilities. OpenGL® 3.3 capable graphics device with 256 MB memory</p>

Autodesk Building Design Suite Premium 2017

	<p>Autodesk 3ds Max 2017 Refer to the Recommended Hardware wizard for a detailed list of recommended systems and graphics cards</p> <p>Autodesk Navisworks Simulate 2017 1,280 x 800 VGA display with true color (1,920 x 1,080 monitor and 32-bit video display adapter recommended). Direct3D and OpenGL capable graphics card with Shader Model 2 (minimum)</p> <p>Autodesk Revit 2017 Windows display adapter capable of 1280x1024 (1600x1050 Recommended) with True Color capabilities. DPI Display Setting of 150% or less. DirectX® 11 capable graphics card with Shader Model 3 as recommended by Autodesk.</p>
Hard Disk	35 GB
Pointing Device	Minimum MS-Mouse compliant (Three-button recommended)
Media	Download via internet or installation from USB 2.0 key
Connectivity	Internet connection for license registration, prerequisite component download, Subscription-enabled features, and full user assistance documentation.
Software	Minimum Microsoft Internet Explorer® 9.0 (or later) Autodesk Revit 2017 3Dconnexion® compliant device, if desired.
Virtualization	Minimum Citrix® XenApp™ 6.5 FP2 Citrix® XenDesktop™ 5.6 Exceptions: Autodesk Showcase 2017, AutoCAD Raster Design 2017, Autodesk 3ds Max Design 2017, Autodesk ReCap 2017 Not Supported Autodesk Navisworks Simulate 2017 Citrix® XenApp™ 6.5 FP2 not supported.

Autodesk Building Design Suite Ultimate 2017

Supported OS	<p>64-bit OS: Microsoft Windows 7 SP1 Home Premium ², Professional, Ultimate, Enterprise Microsoft Windows 8.1, Pro, Enterprise Microsoft® Windows® 10, Pro, Enterprise</p> <p><i>² Autodesk Recap 2017, Autodesk 3ds Max 2017, Autodesk InfraWorks 2017, Autodesk Robot Structural Analysis Professional 2017 not supported on Microsoft Windows 7 Home Premium</i></p>
CPU Type	<p>64-Bit OS: AMD Athlon™ 64 or AMD Opteron™ with SSE2 technology Intel Xeon® or Intel Pentium 4 with Intel EM64T support and SSE2 technology</p> <p>Exceptions:</p> <p>Autodesk Infracore 2017 Dual-core Intel® Core™2 or equivalent AMD processor (Quad-core Intel® Core™ i7, 6-core Intel® Xeon®, or better processor highly recommended); to use the ray traced rendering functionality, CPU must support SSE 4.1</p> <p>Autodesk Revit 2017: Single- or Multi-Core Intel® Pentium®, Xeon®, or i-Series processor or AMD® equivalent with SSE2 technology. Autodesk® Revit® 2017 will use multiple cores for many tasks, using up to 16 cores for near-photorealistic rendering operations.</p>
Memory	<p>Minimum 2 GB RAM (32-Bit OS: 3 GB Recommended; 64-Bit OS: 8 GB Recommended)</p> <p>Exceptions:</p> <p>Autodesk ReCap 2017, Autodesk 3ds Max 2017, Autodesk Showcase 2017, Autodesk Revit 2017 4 GB RAM (8 GB Recommended)</p> <p>Autodesk Robot Structural Analysis Professional 2017 8 GB RAM or greater</p> <p>Autodesk Inventor® 2017 8 GB RAM or greater (16+ GB RAM Recommended)</p>

Autodesk Building Design Suite Ultimate 2017

Autodesk InfraWorks™ 360 LT

8 GB RAM (16+ GB Recommended)

Minimum

Windows display adapter capable of 1280x1024 (1600x1050 Recommended) with True Color capabilities

Exceptions:

3D Modeling in AutoCAD 2017, AutoCAD Architecture 2017, AutoCAD MEP 2017, AutoCAD Raster Design 2017

1280 x 1024 True color video display adapter 128 MB or greater, Pixel Shader 3.0 or greater, Direct3D® capable workstation class graphics card.

Autodesk Showcase® 2017

Certified hardware-accelerated graphics card with a minimum of 512MB graphics memory (1GB recommended) and DirectX® 9 support.

Autodesk ReCap 2017

Windows display adapter capable of 1600x1050 with True Color capabilities.
OpenGL® 3.3 capable graphics device with 256 MB memory

Autodesk 3ds Max 2017

Refer to the [Recommended Hardware](#) wizard for a detailed list of recommended systems and graphics cards

Autodesk Navisworks Manager 2017

1,280 x 800 VGA display with true color (1,920 x 1,080 monitor and 32-bit video display adapter recommended). Direct3D and OpenGL capable graphics card with Shader Model 2 (minimum)

Autodesk Revit 2017

Windows display adapter capable of 1024x768 (1600x1050 Recommended) with True Color capabilities. DirectX® 11 capable graphics card with Shader Model 3 [as recommended by Autodesk](#).

Autodesk Inventor 2017

Microsoft Direct3D 10 capable graphics card. Please refer to the Autodesk published graphics card information.

Video

Autodesk Building Design Suite Ultimate 2017

	<p>Autodesk InfraWorks 360 LT Display resolution 1,280 x 1,024 or greater. Any DirectX® 10.1 capable graphics card with 2 GB (or more) graphics memory, supporting 8x Antialiasing (8x AA), such as NVIDIA Quadro® 5000 or 6000 for desktops and NVIDIA Quadro 2000M or GeForce® GT 650M for laptops; (Any DirectX 10.1 capable graphics card with 1 GB graphics memory supporting 2x antialiasing (2x AA) minimum)</p> <p>Autodesk Robot Structural Analysis Professional 2017 1280 x 1024 monitor and display adapter capable of 24-bit color. Dedicated video card with hardware support for OpenGL® spec 1.4 or later and support for DirectX® 9 or later</p>
Hard Disk	50 GB
Pointing Device	<p>Minimum MS-Mouse compliant (Three-button recommended)</p> <p>Autodesk Revit 2017 3Dconnexion® compliant device, if desired.</p>
Media	Download via internet or installation from USB 2.0 key
Connectivity	Internet connection for license registration, prerequisite component download, Subscription-enabled features, and full user assistance documentation.
Software	<p>Minimum Microsoft Internet Explorer® 9.0 (or later)</p> <p>Autodesk Inventor 2017 Adobe® Flash® Player 15. Microsoft® Excel 2007, 2010 or 2013 for iFeatures, iParts, iAssemblies, thread customization, Global BOM, Parts Lists, Revision Tables, and spreadsheet-driven designs. 64-bit Microsoft Office is required to export Access 2007, dBase IV, Text and CSV formats. Microsoft .NET Framework 4.5</p> <p>Autodesk Robot Structural Analysis Professional 2017 For Results Connect additionally Microsoft Office Excel 2010 or 2013 32-bit or 64-bit</p> <p>Autodesk InfraWorks 360 LT Microsoft® Internet Explorer® 11, Google® Chrome™ (latest), or Firefox® (latest)</p>
Virtualization	<p>Minimum Citrix® XenApp™ 6.5 FP2</p>

Autodesk Building Design Suite Ultimate 2017

Citrix® XenDesktop™ 5.6

Exceptions:

Autodesk Showcase 2017, AutoCAD Raster Design 2017, Autodesk 3ds Max Design 2017, Autodesk ReCap 2017, Autodesk Inventor 2017, Autodesk InfraWorks 360 LT, Autodesk Robot Structural Analysis Professional 2017
Not Supported

Autodesk Navisworks Manage 2017

Citrix® XenApp™ 6.5 FP2 not supported.



Get Connected with Us!



/CIMTechnologiesInc.ph



/yourcimt



/in/yourCIMT

Makati (Branch)

706 SEDCCO 1 Building,
120 Rada cor. Legaspi Sts.,
Legaspi Village, Makati City
Philippines 1229
Tel.: +63 (2) 752-2468
Fax: +63 (2) 752-2470
inquiry@cimtechnologies.com
www.cimtechnologies.com

Cebu (Branch)

11/F AppleOne-Equicom Tower,
Mindanao Ave. cor. Biliran Road,
Cebu Business Park, Cebu City,
Philippines 6000
Tel.: +63 (32) 230-4779
Fax: +63 (32) 230-4701